Table 17B 2003 Pediatric Nutrition Surveillance

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 1 Run Date: 6 / 10 / 04

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4) Anemia Low Hb/Hct % Number White, Not Hispanic 6 - 11 Months 6 16 12 - 17 Months 2 18 - 23 Months 1 24 - 35 Months 10 36 - 59 Months Total 35 Black, Not Hispanic 0 6 - 11 Months 12 - 17 Months 0 18 - 23 Months 0 24 - 35 Months 0 36 - 59 Months Total 1 Hispanic 37 6 - 11 Months 27 12 - 17 Months 9 18 - 23 Months 23 24 - 35 Months 44 36 - 59 Months Total 140 10.7 American Indian/Alaskan Native 2 6 - 11 Months 2 12 - 17 Months 1 18 - 23 Months 2 24 - 35 Months 0 36 - 59 Months 7 Total

e/Ethnicity and Age (5.7)						
		Anemia				
	l	Low Hb/Hct				
	Number	%				
Asian/Pacific Islander						
6 - 11 Months	0	*				
12 - 17 Months	0	*				
18 - 23 Months	0	*				
24 - 35 Months	0	*				
36 - 59 Months	0	*				
Total	0	*				
All Other/Unknown						
6 - 11 Months	1	*				
12 - 17 Months	0	*				
18 - 23 Months	0	*				
24 - 35 Months	1	*				
36 - 59 Months	3	*				
Total	5	*				
Total All Race/Ethnic Groups						
6 - 11 Months	46	*				
12 - 17 Months	46	*				
18 - 23 Months	12	*				
24 - 35 Months	27	*				
36 - 59 Months	57	*				
Total	188	12.2				

California

State:



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

6/10/04

Anemia Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

State: California **Standard Year (School Age Coding)**

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)								
		Anemia Low Hb/Hct			Anemia Low Hb/Hct			
	Number	%		Number	%			
White, Not Hispanic			Asian/Pacific Islander					
5 - 8 Years	3	*	5 - 8 Years	0	*			
9 - 11 Years	6	*	9 - 11 Years	Ō	*			
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*			
12 - 14 Years - Boys	$\frac{1}{1}$	*	12 - 14 Years - Boys	Ö	*			
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*			
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*			
Total	13	*	Total	0	*			
Black, Not Hispanic			All Other/Unknown					
5 - 8 Years	0	*	5 - 8 Years	2	*			
9 - 11 Years	0	*	9 - 11 Years	0	*			
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*			
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*			
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	2	*			
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*			
Total	0	*	Total	5	*			
Hispanic			Total All Race/Ethnic Groups					
5 - 8 Years	24	*	5 - 8 Years	30	*			
9 - 11 Years	17	*	9 - 11 Years	25	*			
12 - 14 Years - Girls	7	*	12 - 14 Years - Girls	10	*			
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	7	*			
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	9	*			
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	6	*			
Total	62	*	Total	87	*			
American Indian/Alaskan Native				•				
5 - 8 Years	1	*						
9 - 11 Years	2	*						
12 - 14 Years - Girls	1	*						
12 - 14 Years - Boys	0	*						
15 - 19 Years - Girls	1	*						
15 - 19 Years - Boys	2	*						
Total	7	*						

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

 ⁽³⁾ Excludes records with unknown data or errors.
 (4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.